

[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)eigenvector authority hub adjacen [Web](#) [Images](#) [Groups](#) [Directory](#) [News](#)

Searched the web for eigenvector authority hub adjacency. Results 1 - 100 of about 279. Search took 0.56 seconds.

Hub - Find Computers & Accessories on eBay

Sponsored Link

www.eBay.com Incredible Selection - Top Brands - All Peripherals

Sponsored Links

HubSave on Products. Compare
Web-Wide & Find the Best Deal!
www.mysimon.com
Interest: **Eigenvalues Eigenvectors**Calculate them now in just one line
of your source code!
www.bluebit.gr
Interest: [See your message here...](#)**[PDF]A Significant Improvement to Clever Algorithm in Hyperlinked ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)... is actually the desired "equilibrium" values for **authority** scores and **hub** scores. ... weight
distribution, then a \mathbf{a} is a unit **eigenvector** corresponding to a ...

Description: A Kleimberg's algorithm improvement. [PDF format]

Category: [Computers > Software > ... > Ranking > By Context](#)www2002.org/CDROM/poster/171.pdf - [Similar pages](#)**Web Page Scoring Systems for Horizontal and Vertical Search**... large highly connected communities of Web pages tend to attract the principal
eigenvector of , thus ... On the other hand the **hub** and **authority** model can ...Description: "Random Surfer" model extension. At each step of traversal of the Web graph, the surfer can
jump to...Category: [Computers > Software > ... > Ranking > By Context](#)www2002.org/CDROM/refereed/629/ - 101k - Jun 26, 2003 - [Cached](#) - [Similar pages](#)**[PDF]Summary for Authoritative Sources in a Hyperlinked Environment by ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)... Suppose again A denotes the **adjacency** matrix. ... rank corresponds to the principle **eigenvector**
of (A ... Finally, the **authority/hub** structure considered in this paper ...www.cs.rpi.edu/~sibel/teaching/mmdb2003/handouts/kleinberg.pdf - [Similar pages](#)**[PDF]1 Page Rank 2 Hubs and Authorities 3 Adjacency Matrix**File Format: PDF/Adobe Acrobat - [View as HTML](#)... performing I and O operations, and iterating: $a(p)$: **authority** score ("I ... i , (q,p) E
 $h(q)$ $h(p)$: **hub** score ("O ... i * a i converges to a (a : dominant **eigenvector** of A ...www.cs.princeton.edu/courses/archive/spring02/cs493/lec21.pdf - [Similar pages](#)**[PS]www.cs.princeton.edu/courses/archive/spring02/cs493/lec21.ps**File Format: Adobe PostScript - [View as Text](#)... $a(p)$: **authority** score ("I" operation). $a(p) = X. q_i(q,p)2E. h(q). h(p)$: **hub** score
("O" operation). $h(p) = X. ... a_i$ converges to a^* (a^* : dominant **eigenvector** of $AT A$). ...[Similar pages](#)[\[More results from www.cs.princeton.edu \]](#)

[PPT]need , behaviour , use (part i)File Format: Microsoft Powerpoint 97 - [View as HTML](#)... of A, then cX (where c is any constant) is also an **eigenvector** of A. ... note: the normalization ensures that **authority** weights and **hub** weights both sum to ...skipper.gseis.ucla.edu/faculty/jfurner/02-03/276/276lec8.ppt - [Similar pages](#)[PDF]A unifying model of document relatedness for hybrid search ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... each document, determined by calculating the dominant **eigenvector** of a ... of citivity and citedness, to more-complex "PageRank," **authority**, and **hub** scoresskipper.gseis.ucla.edu/faculty/jfurner/02-03/276/02isko.pdf - [Similar pages](#)[\[More results from skipper.gseis.ucla.edu \]](#)[PDF]Modifications of Kleinberg's HITS Algorithm Using Matrix ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... and that the entries of the corresponding **eigenvector** are all ... middle-level node only a little less **authority** than the ... nodes except the root non-zero **hub** weight ...www.damtp.cam.ac.uk/user/jcm52/kleinbergposter.pdf - [Similar pages](#)[PS]www.damtp.cam.ac.uk/user/jcm52/kleinbergposter.psFile Format: Adobe PostScript - [View as Text](#)... **authority** [resp. **hub**] weight formula in (1) converges to an **eigenvector** of the dominant eigenvalue of $M \cdot T \cdot M$ [resp. $MM \cdot T$]. ...[Similar pages](#)[\[More results from www.damtp.cam.ac.uk \]](#)[PPT]Authoritative Sources in a Hyperlinked EnvironmentFile Format: Microsoft Powerpoint 97 - [View as HTML](#)... $\{x(p)\}$ is a vector x with **authority** weight for each ... $\{y(p)\}$ is a vector y with **hub** weight for ... **eigenvector**, and all other $i(M)$ as non-principal **eigenvector**. ...external.nj.nec.com/homepages/ingemar/course/presentations/1015-1.ppt - [Similar pages](#)[PPT]Presentation of Anatomy of a Large-Scale Hypertextual Web Search ...File Format: Microsoft Powerpoint 97 - [View as HTML](#)... solution of $a_i(t+1)$ and $h_i(t+1)$ gives us the principal eigenvectors of the **authority** and **hub** matrices. ... $p>$: be original PR scores (= 1st **eigenvector**). ...www.ics.uci.edu/~scott/linkanalysis_stability.ppt - [Similar pages](#)[PPT]Chapter 6: Beyond KeywordsFile Format: Microsoft Powerpoint 97 - [View as HTML](#)... Hence, a site's **authority** weight is proportional to the sum. of the **hub**-weights of the sites pointing at it. ... A Converges to the principal **eigenvector** of. ...www.ics.uci.edu/~pazzani/chapter6.ppt - [Similar pages](#)[\[More results from www.ics.uci.edu \]](#)[PDF]Automatic extraction of synonyms in a dictionary 1 Introduction 2 ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... vertices pointed by i and, similarly, the **authority** scores of ... equal to the sum of the **hub** scores of ... 2) converges to the normalized principal **eigenvector** of M ...www.inma.ucl.ac.be/~blondel/publications/02BS-syn.pdf - [Similar pages](#)[PDF]Similarity in graphsFile Format: PDF/Adobe Acrobat - [View as HTML](#)... Normalized **hub** scores $z_{1k} = x_{1k} / x_{1k}$ converge to the dominant **eigenvector** of AA^T . Normalized **authority** scores $z_{2k} = x_{2k} / x_{2k}$ converge to the ...www.inma.ucl.ac.be/~blondel/talks/02pai.pdf - [Similar pages](#)[\[More results from www.inma.ucl.ac.be \]](#)[PPT]The Search ProblemFile Format: Microsoft Powerpoint 97 - [View as HTML](#)... For a web site p let $h(p)$ be its **hub** weight and $a(p)$ be its **authority** weight. ... HITS. In other words, a is an **eigenvector** of B : ...

www.cs.huji.ac.il/~sdbi/2001/LinkAnalysis/LinkAnalysis.ppt - [Similar pages](#)

[PS]www.cs.huji.ac.il/~dbi/2002/Lectures/ps/hubs.ps

File Format: Adobe PostScript - [View as Text](#)

... the **hub** weights $\sim y$ and **authority** weights $\sim x$ Finding Multiple Communities The Iterative Algorithm finds the principal **eigenvector** (ie, the one with the largest ...

[Similar pages](#)

[[More results from www.cs.huji.ac.il](#)]

[PDF][Outline Outline](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... to the principal **eigenvector** of the normalized link matrix of the Web. ... Each page is initialized with a non-negative **authority** weight and **hub** weight. ...

www.cse.lehigh.edu/~brian/course/searchengines/notes/notes-10-31.pdf - [Similar pages](#)

[PDF][Lecture 9: I: Web Retrieval II: Webology Johan Bollen](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... links to authorities (b) Recursive definitions i. Relations to Bonacich or **eigenvector** centrality ii. ... j.bollen@cs.odu.edu **Authority** and **Hub** scores **Authority** ...

www.cs.odu.edu/~jbollen/spring03_IR/cs695_lect9.pdf - [Similar pages](#)

[PPT][Intelligent Information Retrieval and Web Search](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... **adjacency** matrix for the subgraph defined by S . $A_{ij} = 1$ for $i, j \in S$ iff

$i, j \in S$. **Authority** vector, a , converges to the principal **eigenvector** of ATA . **Hub** ...

www.cs.utexas.edu/users/mooney/ir-course/slides/LinkAnalysis.ppt - [Similar pages](#)

[PS]www.cs.utexas.edu/users/inderjit/Datamining/lecture4.ps

File Format: Adobe PostScript - [View as Text](#)

... We prove that the **hub** and **authority** vectors converge to ... T . and A . T . A have identical non-zero eigenvalues. Further, if q is an **eigenvector** of AA^T . then $A^T q$ is an **eigenvector** of AA^T

[Similar pages](#)

[[More results from www.cs.utexas.edu](#)]

[PDF][PageRank, HITS and a Unified Framework for Link Analysis](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The **hub** scores are obtained through $y = O \cdot p$ (3.6) where O is defined as $O_{ij} = \sum_k A_{kj} p_k$ **Authority** scores are contained in the principal **eigenvector** of $A^T A$...

www.siam.org/meetings/sdm03/proceedings/sdm03_24.pdf - [Similar pages](#)

[PS]www.cs.tau.ac.il/~fiat/DataMine02/Datamining3.ps

File Format: Adobe PostScript - [View as Text](#)

... $q = 1$. Now, if we mark the **Authority** of all the nodes as a vector $\sim a$, and the **Hub** as vector $\sim h$. $\sim a = kMTM \sim a$ Meaning that $\sim a$ is an **eigenvector** of MTM ...

[Similar pages](#)

[PS]algo.fmi.uni-passau.de/~brandes/publications/bc-vrls-01.ps.gz

File Format: Adobe PostScript - [View as Text](#)

... In this formulation, it is easy to see that the **hub** and **authority** indices in a graph with **adjacency** matrix A correspond to **eigenvector** centrality in the ...

[Similar pages](#)

[PDF][Visualization of Bibliographic Networks with a Reshaped Landscape ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The **hub** index, $h(G) = \sum_i h_i$, and the **authority** index, $a(G) = \sum_i a_i$. Hubs & authorities are thus **eigenvector** centralities in the weighted undirected ...

algo.fmi.uni-passau.de/~brandes/publications/bw-vbnrl-02.pdf - [Similar pages](#)

[[More results from algo.fmi.uni-passau.de](#)]

[PDF][Authoritative Sources in a Hyperlinked Environment](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Showed before can use principal **eigenvector** to calculate ... **authority** is passed directly

from authorities to other ... without interposing a notion of **hub** pages. ...
homepages.inf.ed.ac.uk/s0231689/Authoritative.PDF - [Similar pages](#)

[PDF][Link-based Approaches for Text Retrieval](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... to work on (because the fixed-point algorithm converges to the principal **eigenvector** of a ... The **authority** value is then computed by summing up **hub** values of ...
www.doc.ic.ac.uk/~srueger/www-pub/lbafr-trec-2001.pdf - [Similar pages](#)

[PPT][Web Graph Analysis](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... Observation: c is the eigenvalue of A , R is the **eigenvector** of A Given a page p , define $x_{\langle p \rangle}$ be its **authority** weight, define $y_{\langle p \rangle}$ be its **hub** weight. ...
www.neci.nec.com/~giles/course/presentations/choi.ppt - [Similar pages](#)

[PS]www.neci.nec.com/homepages/flake/kdd2000.ps

File Format: Adobe PostScript - [View as Text](#)

... A **hub** site links to many **authority** sites and an **authority** site is linked to by many. ... nents of the dominant **eigenvector** will have positive compo- nents ...

[Similar pages](#)

[[More results from www.neci.nec.com](#)]

[PPT][Classical Models of Information Retrieval](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... Let W denote the **adjacency** matrix of the ... h converges to the principal **eigenvector** of WTW The **authority**[**hub**] weights correspond to the stationary distribution ...
cs.haifa.ac.il/courses/infor/Slides/WebIR2.ppt - [Similar pages](#)

[PDF][CS276A](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Page 19. 19 **Hub/authority** vectors View the **hub** scores $h()$ and the **authority** scores $a()$ as ... Thus, h is an **eigenvector** of AA^t and a is an **eigenvector** of $A^t A$
www.stanford.edu/class/cs276a/handouts/lecture12.pdf - [Similar pages](#)

[PPT][CS347](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... 1 0 0. **Hub/authority** vectors. View the **hub** scores $h()$ and the **authority** scores $a()$ as vectors with n components. ... Thus, h is an **eigenvector** of AA^t and. ...
www.stanford.edu/class/cs276a/handouts/lecture12.ppt - [Similar pages](#)

[PDF][Notes on Kleinberg's Algorithm and PageRank](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... which point we pick out the pages with the highest **hub** and **authority** scores. ... zero, the function converges to a multiple of w_1 , the principle **eigenvector**. ...
www.eecs.harvard.edu/~michaelm/E126/klein.pdf - [Similar pages](#)

[PS]www.eecs.harvard.edu/~michaelm/E126/klein.ps

File Format: Adobe PostScript - [View as Text](#)

... at which point we pick out the pages with the highest **hub** and **authority** scores ... zero, the function converges to a multiple of w_1 , the principle **eigenvector**. ...

[Similar pages](#)

[PS]www.almaden.ibm.com/cs/k53/algopapers/pods00graph.ps

File Format: Adobe PostScript - [View as Text](#)

... retain the basic power iteration process and the interpretation of **hub** and **authority** scores as components of a principal **eigenvector**, as above. ...

[Similar pages](#)

[PDF][Recherche automatique de synonymes dans un dictionnaire](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Recherche automatique de synonymes dans un dictionnaire Vincent
 D. Blondel F'évrier 2003 Page 2. Essayez avec cette orthographe ...

cental.fltr.ucl.ac.be/seminaire2002-03/ blondeltransp.pdf - [Similar pages](#)

[PPT][Link Structure Analyzes Approach](#)

File Format: Microsoft Powerpoint 7 - [View as HTML](#)

... H Converges to the principal **eigenvector** of. Kleinberg algorithm. ... In our walk we will travel from **hub** to **hub** or from **authority** to **authority**. ...

www.cs.technion.ac.il/~tzach/www-lab/slides.ppt - [Similar pages](#)

[PDF][Rank-Stability and Rank-Similarity of Link-Based Web Ranking ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the **authority** weights and the **hub** weights ... Pages are ranked according to their **authority** weights, which ... coordinates of the normalized principal **eigenvector** 5 of ...

www.cs.technion.ac.il/~moran/r/PS/stab_journal31-1-03.pdf - [Similar pages](#)

[[More results from www.cs.technion.ac.il](#)]

[PDF][Extraction of information in large graphs Automatic search for ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... of A T A and AA T give respectively the **authority** weights and **hub** weights of the ... Then, the normalized principal **eigenvector** X of C gives the "similarity ...

www.eleves.ens.fr/home/senellar/stage_maitrise/presentation.pdf - [Similar pages](#)

[PS][www.eleves.ens.fr/home/senellar/stage_maitrise/rapport.ps](#)

File Format: Adobe PostScript - [View as Text](#)

... Vertices with highest **authority** weights are best authorities ... graph; vertices with highest **hub** weights are best ... corresponding to the principal **eigenvector** of the ...

[Similar pages](#)

[[More results from www.eleves.ens.fr](#)]

[PS][www.ibiblio.org/mefron/research/papers/attractors.ps](#)

File Format: Adobe PostScript - [View as Text](#)

... P times itself repeatedly converges onto a matrix Q, whose columns are identical, each being an **eigenvector** of P ... Deriving the **hub** and **authority** scores from ...

[Similar pages](#)

[PicASHOW: Pictorial **Authority** Search by Hyperlinks on the Web](#)

... this algorithm converges, and that the resulting **authority** weights [**hub** weights] are the coordinates of the normalized principal **eigenvector** 2 of W ...

www.www10.org/cdrom/papers/289/ - 87k - [Cached](#) - [Similar pages](#)

[PDF][Stability of HITS and PageRank](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... power method of obtaining the first **eigenvector** of matrices ... odd time steps corresponds to the **authority** weights, and even time steps to the **hub** weights An ...

www.cis.hut.fi/Opinnot/T-122.102/stability.pdf - [Similar pages](#)

[PPT][Measurement](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... PageRank is the dominant **eigenvector** of the probability ... high **authority** score relevant content. high **hub** score links to documents with relevant ...

www.cs.umd.edu/~qinglu/link-analysis.ppt - [Similar pages](#)

[PDF][Microsoft PowerPoint - Lecture25](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... PageRank is the dominant **eigenvector** of the ... and an **authority** score for each document * high **authority** score relevant content * high **hub** score links ...

www.cs.umd.edu/~getoor/cmsc828G/Lectures/lecture25-handouts.pdf - [Similar pages](#)

[[More results from www.cs.umd.edu](#)]

[PPT][Finding Websites Chris Homan Compaq Systems Research Center](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... xn converges to the principle **eigenvector** of ATA, and. yn converges to the principle **eigenvector** of AAT. ... HTML. Document. HTML. Document. HTML. Document. **Authority. Hub.** ...

www.cs.rochester.edu/u/choman/theorygroup.ppt - [Similar pages](#)

[PS]www.cs.bu.edu/~steng/teaching/Fall2002/notes/lec6/lec6.ps

File Format: Adobe PostScript - [View as Text](#)

... where **A** is the **adjacency** matrix ... hubs and authorities into an **eigenvalue-eigenvector** problem ... indicate the strength of the corresponding **authority (hub)** weights of ...

[Similar pages](#)

[PPT][Multimedia Databases](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... **hub/authority** scores: strongest left- and right- eigenvectors of the **adjacency** matrix. ... state probabilities are given by the strongest **eigenvector** of the ...

www.cs.bu.edu/faculty/gkollios/ada02/LectNotes/multi-svdll.ppt - [Similar pages](#)

[[More results from www.cs.bu.edu](#)]

[PS]www.cs.cmu.edu/afs/cs/project/pscico-guyb/294/class-notes/all/23.ps

File Format: Adobe PostScript - [View as Text](#)

... P. y[q. i.]. Figure 150: Calculating the **hub** weight and **authority** weight of a page p. 269. ... T. A and AA. T. . Each **eigenvector** corresponds to one community. ...

[Similar pages](#)

[PS]www.cs.cmu.edu/afs/cs/project/pscico-guyb/294/class-notes/all/24.ps

File Format: Adobe PostScript - [View as Text](#)

... 2. i. . Similarly, each column of **U** is an **eigenvector** of **AA. T.** ... principal **hub**". An "**authority**" is a page that is pointed to by multiple relevant hubs. ...

[Similar pages](#)

[[More results from www.cs.cmu.edu](#)]

[PPT][An Empirical Validation of Software Cost Estimation Models](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... **Authority** and **hub** weight vectors. $X=(X_1,X_2,...,X_n)$ / $Y=(Y_1,Y_2,...,Y_n)$ The sequence of iterates from vector **X** converges to the principle **eigenvector** of **ATA.** ...

www.comp.nus.edu.sg/~liub/Teach/cs6203/group5_slide.ppt - [Similar pages](#)

[PDF]arXiv:cs.IR/0212045 v1 16 Dec 2002

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Then, it can be shown that, the **authority** and **hub** arrays, **a** and **h**, converge to the principal **eigenvector** of **A T A** and **AA T** respectively. ...

arxiv.org/pdf/cs.IR/0212045 - [Similar pages](#)

[PPT]???

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... Let **h(x)**, **a(x)** be **hub/auth** score of ... principle **eigenvector** of **WW'** **a** is principle **eigenvector** of **W** ... result, IE download page becomes an **authority** for everything! ...

www.cse.ucsc.edu/classes/cmpps290g/Winter03/link-ranking-II.ppt - [Similar pages](#)

[Untitled](#)

... **HITS**, and **SALSA** algorithms, the uniqueness of the **PageRank eigenvector**, and the ... structure of a network of web pages to assign **authority** and **hub** weights to ...

www.math.hmc.edu/faculty/ward/abstracts.html - 13k - [Cached](#) - [Similar pages](#)

[PDF][Talk #7: Graphs and Networks II](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The positive and negative components of each **eigenvector** give a prospective pair ... 2

Brian Dean, 1999 web is assigned a **hub** score **h i** and an **authority** score **a** ...

www.geocities.com/eford/science/LQN/talk7.pdf - [Similar pages](#)

[PDF][PicASHOW: Pictorial Authority Search by Hyperlinks On the Web](#)

File Format: PDF/Adobe Acrobat

... of multiplying the vector of all **authority** weights by ... that the resulting au- thority weights [**hub** weights] are ... of the normalized principal **eigenvector** 13 of **W** ...

delivery.acm.org/10.1145/510000/503105/p1-lempel.pdf?key1=503105&key2=2862888301&coll=GUIDE&d... - [Similar](#)

pages[PDF]Stable Algorithms for Link Analysis

File Format: PDF/Adobe Acrobat

... determines authorities by computing the principal **eigenvector** of the ... that an article has high "**authority**" weight if ... and that a page has high **hub** weight if ...

delivery.acm.org/10.1145/390000/384003/

p258-ng.pdf?key1=384003&key2=4679909301&coll=GUIDE&dl=... - [Similar pages](#)[[More results from delivery.acm.org](#)][PDF]Analysis and Improvement of HITS Algorithm for Detecting Web ...File Format: PDF/Adobe Acrobat - [View as HTML](#)... 4: Make the \hat{O} by \hat{O} **adjacency** matrix and ... absolute values in the nor- malized principal **eigenvector** $\frac{1}{2}$... nodes) **hubs** (blue colored nodes) **authority hub** Edit Box ...www.lab7.kuis.kyoto-u.ac.jp/publications/02/saeko-saint2002.pdf - [Similar pages](#)Citations: Inferring Web communities from link topology - Each non principal **eigenvector** de nes two communities, one with non negative values ... 6)2.1 Co citation and co reference The **authority** and **hub** matrices have ...citeseer.nj.nec.com/context/853227/36254 - 39k - [Cached](#) - [Similar pages](#)Citations: Experiments in topic distillation - Chakrabarti, Dom, that HITS computes the principal **eigenvector** of the ... AA^T , where A is the **adjacency** matrix of ... practice, the relative ordering of **hub** **authority** scores becomes ...citeseer.nj.nec.com/context/636588/0 - 28k - [Cached](#) - [Similar pages](#)[[More results from citeseer.nj.nec.com](#)][PDF]Searching the WebFile Format: PDF/Adobe Acrobat - [View as HTML](#)... repeatedly with A^T until it converges to the principal **eigenvector** $s = \text{random}$... toand, $B(i)$ pages pointing to i • Compute **authority** score a_i , **hub** score h_i ...www.ced.tuc.gr/~petrakis/courses/multimedia/web.pdf - [Similar pages](#)Connectivity Review... In addition, the positive and negative ends of a non-principal **eigenvector** exhibita ... This issue was dealt with by dividing the **hub** and **authority** weights by ...dev.panopticsearch.com/connectivity-review.html - 27k - [Cached](#) - [Similar pages](#)[PS]Link Analysis: Hubs and Authorities on the World Wide WebFile Format: Adobe PostScript - [View as Text](#)... k. have large overlap with the negative region of another **eigenvector** u they are ranked very high in both **authority** list and **hub** list. ...

Description: A survey on Kleimberg's Hits. [PS format]

Category: [Computers](#) > [Software](#) > ... > [Ranking](#) > [By Context](#)www.nersc.gov/research/SCG/cding/papers_ps/hits3.ps - [Similar pages](#)[PS]www.nersc.gov/research/SCG/cding/papers_ps/autotopic.psFile Format: Adobe PostScript - [View as Text](#)... for **eigenvector** f with the second smallest eigen- value. ... The **authority** and **hub** information can be extracted based entirely on the link structure. ...[Similar pages](#)[[More results from www.nersc.gov](#)][PS]www.acm.org/sigmod/pods/proc99/papers/kleinber.psFile Format: Adobe PostScript - [View as Text](#)... M_{nu0} converges to an **eigenvector** associated with with. ... Thus, the limiting vectors of **hub** and **authority** weights are eigenvectors of. ...[Similar pages](#)[doc]Microsoft/China talkFile Format: Microsoft Word 2000 - [View as HTML](#)... that this process is equivalent to finding the major **eigenvector** of the ... In his setting,

a web page may be an **authority** on a subject or a **hub**, a page that ...

www.microsoft.com/china/research/dload_files/21century/3_john_hopcroft.doc - [Similar pages](#)

[PS]www.cse.psu.edu/~zha/papers/ha.ps

File Format: Adobe PostScript - [View as Text](#)

... k. have large overlap with the negative region of another **eigenvector** u. ... This happens for. ... they are ranked very high in both **authority** list and **hub** list. ...

[Similar pages](#)

[PS]www.cse.psu.edu/~zha/papers/ieee.ps

File Format: Adobe PostScript - [View as Text](#)

... for **eigenvector** f with the second smallest eigenvalue. ... The **authority** and **hub** information can be extracted based entirely on the link structure. ...

[Similar pages](#)

[[More results from www.cse.psu.edu](#)]

[PS]www.di.unipi.it/didadoc/asw/grossidir/salsa.ps.gz

File Format: Adobe PostScript - [View as Text](#)

... it on the next entry to the **authority(hub)** side of ... The **adjacency** matrix of the support graph of A~ is ... the sites whose entries in the principal **eigenvector** of A ...

[Similar pages](#)

[PS]www.cs.cornell.edu/home/kleinber/ieee99.ps

File Format: Adobe PostScript - [View as Text](#)

... In fact, power iteration will converge to the principal **eigenvector** for any "non-degenerate" choice of ... This says that the **hub** and **authority** weights we ...

[Similar pages](#)

[PDF][Automatic Topic Discovery from Hyperlinked Text](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... the **Hub** and **Hub** = A Auth , the **authority** scores of ... A T A , and the **hub** scores (ie **Hub**) are correspondent to the principal **eigenvector** of matrix ...

www.bohr.idv.tw/pdf/H050.pdf - [Similar pages](#)

[PDF][Mining the Web's Link Structure](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... As before, the **hub** and **authority** scores converge to ... after about five power iterations, obviating the need for more sophisticated **eigenvector** computa- tion ...

www-courses.cs.uiuc.edu/~cs497jh/papers/chak99.pdf - [Similar pages](#)

[PS]www.inf.uni-konstanz.de/Schriften/papers/2002/preprint-170.ps

File Format: Adobe PostScript - [View as Text](#)

... The **hub** index, $h(G) = h = (hv)v^T$, and the **authority** index, $a(G) = a$... Hubs & authorities are thus **eigenvector** centrali- ties in the weighted undirected graphs ...

[Similar pages](#)

[PDF][Visualization of Bibliographic Networks with a Reshaped Landscape ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The **hub** index, $h(G) = h = (h v) v^T$, and the **authority** index, $a(G)$... Hubs & authorities are thus **eigenvector** centrali- ties in the weighted undirected graphs ...

www.inf.uni-konstanz.de/Schriften/papers/2002/preprint-170.pdf - [Similar pages](#)

[[More results from www.inf.uni-konstanz.de](#)]

[PPT][CHAPTER 1: INTRODUCTION](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... q1. q2. q3. p1. p2. **Authority** and **Hub** Pages (12): After 2 Iterations: ... So we converge finally to the direction of principal **eigenvector**. ...

rakaposhi.eas.asu.edu/cse494/notes/web-search-f02.ppt - [Similar pages](#)

[PPT][CHAPTER 1: INTRODUCTION](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... So we converge finally to the direction of principal **eigenvector**. What

about non-principal eigen vectors? ... **Authority and Hub Pages (15):** ...
 rakaposhi.eas.asu.edu/cse494/notes/web-search.ppt - [Similar pages](#)
 [[More results from rakaposhi.eas.asu.edu](#)]

[PDF] [Graph-Theoretic Web Algorithms: An Overview](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... x h . This iterative process converges to yield the **authority** and **hub** vector for ... of
 vector a when normalized, converge to the principal **eigenvector** of $M^T M$...
[www.cs.ucf.edu/~pgupta/overview.pdf](#) - [Similar pages](#)

[PDF] [Link Analysis, Eigenvectors and Stability](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Both of these algorithms use **eigenvector** calculations to assign "au ... posits that an
 article has high "**authority**" weight if ... and that a page has high **hub** weight if ...
[www.robotics.stanford.edu/~ang/papers/ijcai01-linkanalysis.pdf](#) - [Similar pages](#)

[PS] [www.robotics.stanford.edu/~ang/papers/ijcai01-linkanalysis.ps](#)

File Format: Adobe PostScript - [View as Text](#)

... (c) Thrid **Eigenvector**. ... the word-nodes have non-zero **hub** weights (since none of the
 document ... to anything) and only the document nodes have non-zero **authority** weights ...
[Similar pages](#)

[[More results from www.robotics.stanford.edu](#)]

[The Stochastic Approach for Link-Structure Analysis \(SALSA\) and ...](#)

... it on the next entry to the **authority(hub)** side of ... The **adjacency** matrix of the support
 graph of \tilde{A} is ... sites whose entries in the principal **eigenvector** of \tilde{A} ...
[www9.org/w9cdrom/175/175.html](#) - 91k - [Cached](#) - [Similar pages](#)

[What is this Page Known for? Computing Web Page Reputations](#)

... The principal **eigenvector** associated to each term is the stationary ... matrixes, say
 H and A , respectively denoting the **hub** and the **authority** reputations of ...
[www9.org/w9cdrom/368/368.html](#) - 65k - [Cached](#) - [Similar pages](#)
 [[More results from www9.org](#)]

[PS] [www.lcs.mit.edu/publications/pubs/ps/MIT-LCS-TM-618.ps](#)

File Format: Adobe PostScript - [View as Text](#)

... ascent HITS has a different approach in lifting the **authority** and **hub** measures for ... This
 entails to shifting the principal **eigenvector** at each iteration in ...
[Similar pages](#)

[PDF] [Re-ranking Search Results using Network Analysis A Case Study ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... criteria (in- degree, out-degree, HITS **authority** and **hub** ... in the in- degree, HIT's
authority score and ... **Eigenvector** centrality of a node is determined by the ...
[www.cas.ibm.com/archives/2002/papers/cascon02/pdf/yaltaghi.pdf](#) - [Similar pages](#)

[PDF] [Tutorial: Web Information Retrieval](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Tutorial: Web Information Retrieval Monika Henzinger <http://www.henzinger.com/~monika>
 Page 2. M. Henzinger Web Information ...
[www.tcnj.edu/~mmmartin/CMSC485/Papers/Google/icde.pdf](#) - [Similar pages](#)

[PPT] [CHAPTER 1: INTRODUCTION](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... If the ranks converge, ie, there is a rank vector R such that $R = M R$, R is
 the **eigenvector** of matrix M with eigenvalue ... **Authority and Hub Pages (15):** ...
[opal.cs.binghamton.edu/~meng/cs534.d/searchens.ppt](#) - [Similar pages](#)

[PDF] [Connectivity Server:](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... reinforce each other, a good **t-hub** must point ... **t-authorities**, and a good **t-authority**
 must be ... Hubs ranks = normalized principle **eigenvector** of (WWt) Authorities ...

www.fas.harvard.edu/~libcs124/E126/classnotes/lec3.pdf - [Similar pages](#)

[PS]www.lans.ece.utexas.edu/~srean/wip/surfer.ps

File Format: Adobe PostScript - [View as Text](#)

... are made symmetric and the ranks given as the **eigenvector** of $(A + A^T)$ The **hub** vectors in turn can be similarly calculated using the **authority** vector a

[Similar pages](#)

[PS]www.dcs.gla.ac.uk/ir/terrier/publications/damtechrep.ps

File Format: Adobe PostScript - [View as Text](#)

... principal **eigenvector** of AAT corresponds to its **hub** weight, while its component in the principal **eigenvector** of ATA corresponds to its **authority** value ...

[Similar pages](#)

[PDF][The Dynamic Absorbing Model for the Web](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **eigenvector** of AA^T corresponds to its **hub** weight, while its component in the principal **eigenvector** of $AT A$ corresponds to its **authority** value. ...

www.dcs.gla.ac.uk/ir/terrier/publications/damtechrep.pdf - [Similar pages](#)

[[More results from www.dcs.gla.ac.uk](#)]

[PDF][A Probabilistic Approach for Distillation and Ranking of Web ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The retrieved solution corresponds to the principal **eigenvector** of the normalized ... Y two vectors of size n representing the **authority** and **hub** scores for ...

clarkson.edu/~piscitjm/research/Greco,%20Site%20Rank.pdf - [Similar pages](#)

[Finding Authorities and Hubs From Link Structures on the World ...](#)

... The operation sets the **authority** vector to h . The operation sets the **hub** vector to a ... we are considering) converge naturally to their principal **eigenvector**, ie to ...

www10.org/cdrom/papers/314/www10-314.html - 101k - [Cached](#) - [Similar pages](#)

[[More results from www10.org](#)]

[PS]www.eurokermit.org/Documents/deliv-01.ps

File Format: Adobe PostScript - [View as Text](#)

... It then assigns an initial **hub** and **authority** score of 1 ... ations can be proved to converge to a fixpoint, which corresponds to the principal **eigenvector** of a ...

[Similar pages](#)

[doc][Report](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

... of ATA and AAT is readily obtained from S , and the corresponding **eigenvector** of ATA ... This **adjacency** matrix yields the following **authority** and **hub** vectors: ...

www.ece.utexas.edu/~sweber/StevenWeberMastersReport.doc - [Similar pages](#)

[PS]www.mscs.dal.ca/~janssen/GGE/sept27.ps

File Format: Adobe PostScript - [View as Text](#)

... Then A has a positive real eigenvalue λ_1 , and λ_1 has an associated **eigenvector** x_1 with strictly ... HITS Algorithm **Hub** vector h **Authority** vector a

[Similar pages](#)

[PPT][Mining the Web's Link Structure](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... sequences of iterations converges to the principal **eigenvector** of ATA ... consisting of the pages with the largest **hub** weights and **authority** weights for a ...

www.cc.ncu.edu.tw/~center3/course/minewebink/minewebink.PPT - [Similar pages](#)

[PS]www.cs.berkeley.edu/~jordan/papers/sigir01.ps.gz

File Format: Adobe PostScript - [View as Text](#)

... and determines authorities by computing the principal **eigenvector** of the ... posits that an article has high "**authority**" weight if ... that a page has high **hub** weight if ...

[Similar pages](#)

[PDF]Enhanced Topic Distillation using Text, Markup Tags, and ...File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Collectively, all **hub (authority)** scores are represented as the ... E is represented in the **adjacency** matrix format ... will converge to the principal **eigenvector** of E ...

www.cs.berkeley.edu/~soumen/doc/sigir2001/paper/ChakrabartiJT2001uhits.pdf - [Similar pages](#)

[[More results from www.cs.berkeley.edu](#)]

[PPT]Search and DiscoveryFile Format: Microsoft Powerpoint 97 - [View as HTML](#)

... The **eigenvector** of this matrix illustrates the clusteredness of the

Web: ... Gives each page a **hub** score and an **authority** score: ...

nexus.cs.usfca.edu/~brooks/S03classes/cs486/lectures/lecture-8.ppt - [Similar pages](#)

[PS]www-math.mit.edu/~vempala/papers/fastev.psFile Format: Adobe PostScript - [View as Text](#)

... in the maximizing $x; y$ we expect the **hub** weights and ... the top few singular vectors

put high **authority** weights on ... B has a unit **eigenvector** x with eigenvalue. ...

[Similar pages](#)

[PS]www.math.cmu.edu/~af1p/eigen.psFile Format: Adobe PostScript - [View as Text](#)

... in the maximizing $x; y$ we expect the **hub** weights and ... the top few singular vectors

put high **authority** weights on ... Suppose that B has a unit **eigenvector** x with. ...

[Similar pages](#)

Finding related pages in the World Wide Web

... the **hub** and **authority** computation. Kleinberg also showed that HITS computes the principal **eigenvector** of the matrix AA^T , where A is the **adjacency** matrix of ...

www.unizh.ch/home/mazzo/reports/www8conf/2148/html/ - 51k - [Cached](#) - [Similar pages](#)

Google ►

Result Page: 1 2 [Next](#)[Search within results](#)

Dissatisfied with your search results? [Help us improve.](#)

[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs, Press, & Help](#)

©2003 Google

[Advanced Search](#) [Preferences](#) [Language Tools](#) [Search Tips](#)eigenvector authority hub adjacency [Web](#) [Images](#) [Groups](#) [Directory](#) [News](#)

Searched the web for eigenvector authority hub adjacency

Results 101 - 154 of about 279. Search took 0.41 seconds.

Hub - Find Computers & Accessories on eBay

www.eBay.com Incredible Selection - Top Brands - All Peripherals

Sponsored Link

Sponsored Links

HubFind the best deal! Compare prices on all products from across the web
www.mysimon.com
Interest: _____**Eigenvalues Eigenvectors**Calculate them now in just one line of your source code!
www.bluebit.gr
Interest: _____[See your message here...](#)**[PDF]A MEASURE OF SIMILARITY BETWEEN GRAPH VERTICES. WITH APPLICATIONS ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)... graphs that are different from the hub-authority structure graph ... a graph with edge set E and adjacency matrix B ... B by computing the dominating eigenvector of the ...
www.mathe.tu-freiberg.de/~emst/Lehre/ALAWebPages03/Literature/blondel.pdf - [Similar pages](#)[\[PS\]www.mathe.tu-freiberg.de/kurse/ala/Literature/borodin.ps](#)File Format: Adobe PostScript - [View as Text](#)... The operation I sets the authority vector to $a = A \cdot \dots$ O sets the hub vector to $h = A \cdot a$. A ... considering) converge naturally to their principal eigenvector, ie to ...
[Similar pages](#)
([More results from www.mathe.tu-freiberg.de](#))**[PPT]Database Application Design**File Format: Microsoft Powerpoint 97 - [View as HTML](#)... Use a recurrent relation to solve. The convergent value of p is called an eigenvector of ET. ... run iterations on the hub and authority scores together. ...
tangra.si.umich.edu/~radev/650/notes/650-5.ppt - [Similar pages](#)**[PDF]Authoritative Sources in a Hyperlinked Environment Jon M. ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)... ric matrices derived from the (asymmetric) adjacency matrix of ... For a pair of authority/hub weight vec-tors (z ... Let $o_j(M)$ denote the eigenvector associated with ...
www.utdallas.edu/~rpb012200/model/authoritative_sources_kleinberg.pdf - [Similar pages](#)[\[PS\]www.math.chalmers.se/~dubhashi/Courses/references/problems4.ps](#)File Format: Adobe PostScript - [View as Text](#)... a) If x is an eigenvector of A with associated eigenvalue λ , then $R(x; A) = \lambda \cdot x$ I. ... choose k hubs in the large community: each hub links. ... I. -authority i and C. s. ...
[Similar pages](#)**[PDF]Authoritative Sources in a Hyperlinked Environment**File Format: PDF/Adobe Acrobat - [View as HTML](#)... with each page p, we associate a non-negative authority weight x_p and a non-negative hub weight y_p we refer to ω (M) as the principal eigenvector, and all ...
Description: HITs is a link-structure analysis algorithm which ranks pages by "authorities" (pages which have many...
Category: [Computers > Software > ... > Ranking > By Context](#)
www.cs.cornell.edu/home/kleinber/auth.pdf - [Similar pages](#)
([More results from www.cs.cornell.edu](#))[\[PS\]simon.cs.cornell.edu/home/kleinber/auth.ps](#)File Format: Adobe PostScript - [View as Text](#)... and hence it corresponds to the principal eigenvector of (A0 ... based on a model in which authority is passed ... authorities, without interposing a notion of hub pages ...
[Similar pages](#)**[PDF]Authoritative Sources in a Hyperlinked Environment**File Format: PDF/Adobe Acrobat - [View as HTML](#)... Thus, with each page p, we associate a nonnegative authority weight x_p and a nonnegative hub weight y_p . We maintain the invariant that the weights of each ...
www.cs.odu.edu/~jboilen/spring03_IR/readings/kleinberg1998.pdf - [Similar pages](#)
([More results from www.cs.odu.edu](#))**[PDF]Authoritative Sources in a Hyperlinked Environment**File Format: PDF/Adobe Acrobat - [View as HTML](#)... with each page p, we associate a non-negative authority weight x_p and a non-negative hub weight y_p we refer to ω (M) as the principal eigenvector, and all ...
net.cs.pku.edu.cn/~webg/tefpaper/papers/auth.pdf - [Similar pages](#)[\[PS\]www.cs.toronto.edu/~tsap/publications/dynamical.ps](#)File Format: Adobe PostScript - [View as Text](#)... Eigenvector computations have been studied extensively in the field of ... B(i) denotes the hubs that point to authority. ... is, there exists at least one hub in G ...
[Similar pages](#)[\[PS\]www.cs.toronto.edu/~tsap/publications/www-paper.ps](#)File Format: Adobe PostScript - [View as Text](#)

... The operation I sets the authority vector to a ... operation O sets the hub vector to

$h = A a$... considering) converge naturally to their principal eigenvector, ie to ...

[Similar pages](#)

[[More results from www.cs.toronto.edu](#)]

[PDF]Finding related pages in the World Wide Web

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Page 5. 393 2.1.4. Step 4: compute hub and authority scores In this step, we run the imp algorithm [3] on the graph to compute hub and authority scores. ... [www.unizh.ch/home/mazzo/reports/www8cont/2148/pdf/pd1.pdf](#) - [Similar pages](#) [[More results from www.unizh.ch](#)]

[PPT]The Internet

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... Let x_p be authority weight, y_q be hub weight, $q \rightarrow p$ denotes q links to p This sequence of powers converges to the eigenvector of ATA [beethoven.site.uottawa.ca/CS15389/CourseNotes/Matwin/2netinfr%5B1%5D.ppt](#) - [Similar pages](#)

[PDF]Eigensearching the World Wide Web: A Survey of Current Web ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 33 3 Recent Eigenvector Based Research : Bias or Necessity? ... 13 4 An authority is a page with high indegree. ... 13 5 A hub is a page with a high outdegree. ... [www.pr1.cs.gc.cuny.edu/web/LabWebsite/Rome/jrome/Slides_Tutorials/EigenWeb011703.pdf](#) - [Similar pages](#)

[PDF]Integrating the Document Object Model with Hyperlinks for ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... principal eigenvector of $E T E$; and h , the principal eigenvector of EE ... We will describe this as " v 's authority diffuses to w through the hub u ." This ... [lib.njuct.edu.cn/papers/pdf/p489.pdf](#) - [Similar pages](#)

[PDF]Distributed Hypertext Resource Discovery Through Examples

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Distributed Hypertext Resource Discovery Through Examples Soumen Chakrabarti 1 IIT Bombay soumen@cse.iitb.ernet.in Martin ... [www.cse.iitb.ernet.in/~soumen/doc/vdb1999/america95.pdf](#) - [Similar pages](#)

www8.dvi

... the hub and. authority computation. Kleinberg also showed that HITS computes the principal eigenvector of the matrix AA^T , where A is the adjacency matrix of the ... [www8.org/w8-papers/4a-search-mining/finding/www813.html](#) - 5k - [Cached](#) - [Similar pages](#)

[PDF]World Wide Web: A Graph-Theoretic Perspective

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. World Wide Web: A Graph-Theoretic Perspective Narsingh Deo Pankaj Gupta deo@cs.ucf.edu pgupta@cs.ucf.edu School of Computer ... [www.cs.ucf.edu/~pgupta/www_tech.pdf](#) - [Similar pages](#) [[More results from www.cs.ucf.edu](#)]

[PS]gdit.iitit.net/wdkm/dean99finding.ps

File Format: Adobe PostScript - [View as Text](#)

... the hub and authority computation. Kleinberg also showed that HITS computes the principal eigenvector of the matrix AA^T . T , where A is the adjacency matrix of ... [Similar pages](#)

[PS]www.dii.unisi.it/~diligmic/Pub/WWW2002i.ps.gz

File Format: Adobe PostScript - [View as Text](#)

... particular, large highly connected communities of Web pages tend to attract the principal eigenvector of. ... On the other hand the hub and authority model can ... [Similar pages](#)

[PPT]grids.ucs.indiana.edu/courses/xinformatics/xinfosearchspring02.ppt

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... better authority pages come from incoming edges from good ... use the updated hub information to refine the ... eventually converge to the principle eigenvector of the ... [Similar pages](#)

Arasu, Arvind; Cho, Junghoo; Garcia-Molina, Hector; Paepcke, ...

... with the given matrix [31] until it converges to the principal eigenvector. ... scores (ie, $(0.408)^2 + (0.816)^2 + (0.408)^2$. The hub and authority values have ... [dbpubs.stanford.edu/pub/2000-37-101k-Jun26,2003](#) - [Cached](#) - [Similar pages](#)

[PDF]Chapter 1

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... any eigenvector algorithm to compute the converged hub and authority weights. Suppose that all pages in the base set are numbered by 1, 2, ..., n . The adjacency ... [fas.sfu.ca/pub/cs/theses/2002/ThomasSuMSc.pdf](#) - [Similar pages](#)

[PS]www.cs.unm.edu/~saia/gen-paper.ps

File Format: Adobe PostScript - [View as Text](#)

... its relevance to the query so that the authority and hub ... was essentially binary: relevant and authoritative(hub-like) or ... largest eigenvector of B and define u [Similar pages](#)

[PDF]Searching the Web

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Searching the Web Arvind Arasu Junghoo Cho Hector Garcia-Molina Andreas Paepcke Sriram Raghavan Computer Science Department ... [rose.cs.ucla.edu/~cho/papers/cho-toit01.pdf](#) - [Similar pages](#)

[PDF]Lexical and Semantic Clustering by Web Links

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... lexical features are ranked using query-independent link analysis [7]. Links are also used in conjunction with text to identify hub and authority pages for a ... [ranger.uta.edu/~alpl/readings/lexicalSemanticClustering.pdf](#) - [Similar pages](#)

[PDF]Searching the Web

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Searching the Web Arvind Arasu, Junghoo Cho, Hector Garcia-Molina, Andreas Paepcke, and Sriram Raghavan Stanford University ...
www.n3labs.com/pdf/toit01.pdf - [Similar pages](#)

Searching the Web

... given matrix [Golub and Loan 1989] until it converges to the principal eigenvector. ... 0:408)
2 + (0:816) 2 + (0:408) 2 . The hub and authority values have ...
www.n3labs.com/pdf/toit01.html - 101k - [Cached](#) - [Similar pages](#)
[[More results from www.n3labs.com](#)]

[PDF]A Unified Probabilistic Framework for Web Page Scoring Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... a(t), (11) where W is the adjacency matrix of ... t tends to infinity, the direction of authority vector tends to be parallel to the main eigenvector of the ...
nautilus.dii.unisi.it/pubblcazioni/files/ journal/2003-Diligenti-TKDE.pdf - [Similar pages](#)

[PS]www-db.stanford.edu/~rsram/pubs/toit01/toit01.ps

File Format: Adobe PostScript - [View as Text](#)

... with the given matrix [Golub and Loan 1989] until it converges to the principal eigenvector. ... 408)2
+ (0.816)2 + (0.408)2. The hub and authority values have ...
[Similar pages](#)

[PDF]Exploiting Multiple Sources of Evidence of Document Relatedness ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... calculations involved in determining a document's PageRank, authority weight, or hub weight, are ... each requires the derivation of the eigenvector of an ...
harford.lti.cs.cmu.edu/caltan/Workshops/ nsf-delos03/Docs/jasist03a.pdf - [Similar pages](#)

[PDF]Finding Related Pages in the World Wide Web

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... graph of u. 2.1.4 Step 4: Compute Hub and Authority Scores In this step, we run the imp algorithm [5] on the graph to compute hub and authority scores. ...
pc91068.cse.cuhk.edu.hk/TechDocs/WebComp/www6.pdf - [Similar pages](#)

Web Mining: Escaping the Natural Language Understanding problems ...

... Let x* and y* be vectors containing authority and hub scores for pages ... Kleinberg shows in [3] that x* is the principal eigenvector of A T A, and y* is the ...
www.atra.com.pl/~michalo/webmining/webmining.htm - 93k - [Cached](#) - [Similar pages](#)

[PDF]Searching the Web

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Searching the Web ARVIND ARASU, JUNGHOO CHO, HECTOR GARCIA-MOLINA, ANDREAS PAEPCKE, and SRIRAM RAGHAVAN Stanford University ...
www.cs.auc.dk/~kleist/Courses/ds-402/ Literatur/p2-arasu.pdf - [Similar pages](#)

[PPT]The Stochastic Approach for Link-Structure Analysis (SALSA) and ...

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

... follows: Let W be the adjacency matrix of ... unit weight), each site's Stochastic authority(hub) weight is ... method to approximate the principal eigenvector of the ...
ants.iis.sinica.edu.tw/was/slides/2001/SALSA.ppt - [Similar pages](#)

Citations: The Anatomy of a Large-Scale Hypertextual Web Search ...

... in conjunction with text to identify hub and authority ... The authority of a document is correlated with ... corresponding component of the principal eigenvector of a ...
gunther.smeal.psu.edu/context/617/10500 - 67k - [Cached](#) - [Similar pages](#)

Citations: An Introduction to Modern Information Retrieval - ...

... This technique that is closely related to eigenvector decomposition, decomposes a ... over the top positions in both the hub and authority rankings (Figure 3 ...
gunther.smeal.psu.edu/context/2865/0 - 61k - [Cached](#) - [Similar pages](#)
[[More results from gunther.smeal.psu.edu](#)]

[DOC]Operating System Support for Database Management

File Format: Microsoft Word 2000 - [View as HTML](#)

... an analysis of the stability of these eigenvector calculations. ... odd time steps is defined to be the authority weights ... time steps is defined to be the hub weights ...
www-users.cs.umn.edu/~desikan/ research/stablealgorithms.doc - [Similar pages](#)

[PDF]Pre Test Excerpt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. The Large-Scale Structure of Semantic Networks Steyvers & Tenenbaum
3 The Large-Scale Structure of Semantic Networks: Statistical ...
www-psych.stanford.edu/~msteyver/ papers/smallworlds.pdf - [Similar pages](#)

[PS]www-psych.stanford.edu/~msteyver/papers/smallworlds.ps

File Format: Adobe PostScript - [View as Text](#)

... from x to a hub and from the hub to node y ... of centrality, which typically correlates highly with eigenvector measures of centrality and thus authority as well ...
[Similar pages](#)
[[More results from www-psych.stanford.edu](#)]

[PS]192.115.216.71/webir/lempel_thesis.ps

File Format: Adobe PostScript - [View as Text](#)

... identifying the coordinates of high magnitude in each eigenvector. ... the next entry to the authority(hub) side of ... fi The adjacency matrix of the support graph G ...
[Similar pages](#)

[PDF]CHAPTER 5 Matrix Models

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... creates a link matrix to describe the referencing structure, and then uses the dominant eigenvector of a ... EXAMPLE 6 Initial Hub and Authority Vectors of an ...
www.techseti.com/CompSamples/Anton-Busby-Sample.pdf - [Similar pages](#)

[PDF]Network Location and Learning: The Influence of Network Resources ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... These managers typically had authority over alliance ... of centrality - Bonacich's (1972) eigenvector centrality and ... with many peripheral units (a hub) or due ...
ranjaygulati.com/art/netloc.pdf - [Similar pages](#)

[PDF]Network Location and Learning: The Influence of Network Resources ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... These managers typically had authority over alliance ... of centrality Bonacich's (1972) eigenvector centrality and ... with many peripheral units (a hub) or due to ...
www.ranjaygulati.com/new/research/netloc.pdf - [Similar pages](#)
[More results from www.ranjaygulati.com]

[PDF]How do we find information on the Web

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. Literature Review Doctoral Dissertation Committee: Robert M. Losee Gary Marchionini Gregory B. Newby Paul Solomon Ellen Voorhees ...
www.its.unc.edu/ang/k/dissertation/litrev.pdf - [Similar pages](#)

[PS]www.softlab.ntua.gr/facilities/public/AD/Nidal/PS/The%20Shape%20of%20the%20Web%20and%20Its%20Implications%20for%20Searching%20the%20Web.ps

File Format: Adobe PostScript - [View as Text](#)

... since the computation converges to the principal eigenvector of the ... site, each of these links get an authority weight of $1/k$... ing links in X get a hub weight of 1 ...
[Similar pages](#)

[PDF]Doctor of Philosophy Division of Information Technology

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... 36 3.9 The Hub and Authority Scores
37 3.10 A Two Dimensional Plot of Terms and Documents ...
www.softlab.ntua.gr/facilities/public/AD/Nidal/pdf/thesis_5_9.pdf - [Similar pages](#)
[More results from www.softlab.ntua.gr]

Untitled Document

... Connection, Adjacency, direct connections among nodes, ... on recursive weighted degree, Eigenvector Centrality vector. ... centrality based on authority/hub, Authority/Hub ...
www.cyram.com/nm_main4.htm - 13k - [Cached](#) - [Similar pages](#)

[PDF]A Survey of Web Metrics

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. A Survey of Web Metrics DEVANSHU DHYANI, WEE KEONG NG, AND SOURAV S. BHOWMICK Nanyang Technological University The unabated ...
www.isc.bgu.ac.il/courses/lr-2003/web-metrics.pdf - [Similar pages](#)

kalug.linux.org.tw/~chihchun/dict/dictd/netterm.index

... CAP g authentication CAv I author CBU P authority CBj Z ... lec S effort leu S eigenvalue IfA W eigenvector IfW a ... ML2 j housekeeping MMZ i housing MM7 N hub MNI a ...
99k - [Cached](#) - [Similar pages](#)

[PDF]Clustering Web Documents: A Phrase-Based Method for Grouping ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... We also wanted to understand why phrases are better than words: Does the advantage of using phrases lie in the information present in the adjacency and order ...
www.dling.gu.se/~cl9dmork/exjobb/litteratur/zamir_thesis.pdf - [Similar pages](#)

[PS]reports-archive.adm.cs.cmu.edu/anon/2002/CMU-CS-02-142.ps

File Format: Adobe PostScript - [View as Text](#)

Hypertext Classification. Sean Slattery. May 2002 CMU-CS-02-142. School of Computer Science. Carnegie Mellon University. Pittsburgh, PA 15213. ...
[Similar pages](#)

www.ee.ic.ac.uk/delphi/consoleApps/week2/words.txt

... adieu adios adironack adjacency adjacent adjectival ... authoritarianism authoritative authority authorization authorize ... eigenstate eigenvalue eigenvector eight ...
101k - [Cached](#) - [Similar pages](#)

uidzer0.org/perl/files/dict.txt

... Vint CERN CERNLIB CERT Certificate Authority CESP CESSL ... EIDE Eiffel Eiffel source checker eigenvalue eigenvector eight-bit ... HTTPS HTTP server hu hub Hubnet hubs ...
101k - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 154 already displayed.
If you like, you can [repeat the search with the omitted results included](#).

◀ Google
Result Page: **Previous** 12

[Google Home](#) - [Advertise with Us](#) - [Business Solutions](#) - [Services & Tools](#) - [Jobs](#), [Press](#), & [Help](#)

©2003 Google